

## ALUMINIUM CHLORIDE ANHYDROUS (POWDER)

SPECIFICATIONS OF ALUMINIUM CHLORIDE ANHYDROUS (POWDER)		
PARAMETERS	UNIT	SPECIFICATIONS
AlCl <sub>3</sub>	gm/100 gms	99.00% min
Water Insoluble	gm/100gms	0.04(max)
Non Volatiles	gm/100gms	1.0 (max)
Al free	mg/kg	50 (max)
Fe	mg/kg	50 (max)
Heavy Metals (Zn, Ni, Cu, Cr, S, Ca, Mg, Mn, Ti, Zx)	mg/kg	75(max)
Particle size		
>1 mm	g/100 gm	2%(max)
0.15-1 mm	g/100 gm	60 (max)
<0.15 mm	g/100 gm	38%(min)
Colour		White To Grey
Solubility (10% w/v)		Clear

## ALUMINIUM CHLORIDE ANHYDROUS (GRANULES)

ALUMINIUM CHLORIDE ANHYDROUS (GRANULES)		
PARAMETERS	UNIT	SPECIFICATIONS
AICI <sub>3</sub>	gm/100 gms	99% min
Water Insoluble	gm/100gms	0.05(max)
Non Volatiles	gm/100gms	0.50 (max)
Fe	mg/kg	20 (max) ppm
Heavy Metals (Zn, Ni, Cu, Cr, S, Ca, Mg, Mn, Ti, Zx)	mg/kg	75(max)
Particle size		
<5 mm	gm/100 gm	5 (max)
5-10 mm	gm/100 gm	90 (min)
>10 mm	gm/100 gm	5 (max)
Colour		Whitish to Grayish
Solubility (10% w/v)		Clear
Free Aluminum	50 mg/Kg Max	50 Max

## ALUMINIUM CHLORIDE ANHYDROUS (Solution)

ALUMINIUM CHLORIDE ANHYDROUS (SOLUTION)	
PRODUCT	SPECIFICATIONS
AICI3	99% min
Water Insoluble	0.05(max)
Non Volatiles	0.50 (max)
Fe	20 (max) ppm
Heavy Metals (Zn, Ni, Cu, Cr, S, Ca, Mg, Mn, Ti, Zx)	75(max)
Particle size	
<5 mm	5 (max)
5-10 mm	90 (min)
>10 mm	5 (max)
Colour	Whitish to Grayish
Solubility (10% w/v)	Clear
Free Aluminum	50 Max

## ALUMINIUM CHLORIDE ANHYDROUS (Application)

- ▶ Manufacturing of Anti Perspiration
- ▶ Lotion
- ▶ Special Pharmaceutical Products.